



THE LEADERS IN RECREATION, FITNESS, AND ABILITY!

9889 Garrymore Ln

Missoula, MT 59808

888-687-3552 | +1-406-549-0769

www.aquacreek.com

# Trampoline Handrail



## **PART #: F-WXTPBH**

TO BE USED WITH ROUND OR HEXAGONAL TRAMPOLINES  
PART NUMBERS (F-WXTPRD) AND (F-WXTPHX)  
220 LB. [100 kg] MAXIMUM WEIGHT CAPACITY

## **MANDATORY**

LEAVE THIS MANUAL WITH TRAMPOLINE OWNER

Read and follow all instructions.

Safety can only be ensured if the trampoline is assembled  
and operated according to these instructions.

- NEVER permit children to play on or around the trampoline
- DO NOT allow children to use the trampoline without adult supervision


## **READ CAREFULLY**

Check entire box and all packing materials for parts. Before beginning assembly, read the instructions and identify parts using the figures and parts listed in this document.

It is critical that all parts be carefully inspected prior to assembly and use. If any damage occurred in transit, Aqua Creek Products, LLC must be notified within three days of receipt of unit.


Proper assembly and use cannot be overstressed, as an improper assembly and use voids Aqua Creek's warranty and may affect the safety of the user.

# Components and Assembly Step 1



One of the six threaded sockets will have a threaded hole in it. Locate that leg and unthread the rubber foot from the leg. Leave the leg itself attached to the threaded socket. See above.

# Assembly Steps 2 & 3




Slide the handrail sleeve onto the leg. Rotate the sleeve so that the hole in the sleeve lines up with the hole in the threaded socket. The square tube should be to the inside of the main frame. See above.



Tighten the sleeve to the leg using the small knob and then re-install the rubber foot to the bottom of the leg. See above.

# Assembly Step 4



Finally, insert the handrail into the sleeve with top of the handrail angled back towards the trampoline. Lock the handrail in place using the large knob. See above.